

Section 1: Identification

Product

Green Foundry Sand

Name

Relevant identified uses of the substance or mixture and uses advised against

Recommended • No data available

use

Details of the supplier of the safety data sheet

Manufacturer • Waupaca Foundry, Inc.

1955 Brunner Drive

PO Box 249

Waupaca, WI 54981

United States

www.waupacafoundry.com

Telephone • 715-258-6611

(General)

Emergency telephone number

Manufacturer • 715-258-6611

Section 2: Hazard Identification

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012

• Carcinogenicity 1A (H350i)

Skin corrosion/irritation 2 (H315)

Serious eye damage/eye irritation 1 (H318)

Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation (H335)

Specific Target Organ Toxicity Single Exposure 1 (H370) Specific Target Organ Toxicity Repeated Exposure 1 (H372)

Label elements

OSHA HCS 2012

DANGER









Hazard statements • No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs include:

May cause cancer by inhalation of respirable dusts.

Causes skin irritation.

Causes serious eye damage.

May cause respiratory irritation.

May cause damage to Lungs – Silicosis, via inhalation of respirable dust.

Causes damage to Lungs - Silicosis - through prolonged or repeated exposure via inhalation of respirable dust.

Precautionary statements

Prevention • Obtain, read and follow all safety instructions before use.

Do not breathe dust.

In case of inadequate ventilation wear respiratory protection.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective work gloves and safety glasses.

Wash hands thoroughly after handling.

Do not touch eyes.

Response • IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get emergency medical help. Take off contaminated clothing and wash before reuse.

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get emergency medical help.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If exposed or concerned: Get emergency help immediately.

Storage/Disposal • Store locked up.

Store in a well-ventilated place. Keep container tightly closed

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Other information

NFPA
 Health = 1, Flammability = 0, Reactivity = 0, Special Information = None

HMIS • Health = *1, Flammability = 0, Reactivity = 0, PPE = E

* Chronic Health Hazard

E = Safety glasses, gloves and a dust respirator



Section 3 - Composition/Information on Ingredients

Mixture

Composition			
Chemical Name	Identifiers	%	Hazardous
Quartz	CAS:14808-60-7	> 65%	Yes
Iron oxide	CAS:1309-37-1	> 4%	No
Bentonite	CAS:1302-78-9	5% TO 10%	Yes
Cellulose	CAS:9004-34-6	0.1% TO 1%	Yes
Aluminum oxide (non-fibrous)	CAS:1344-28-1	5% TO 15%	No
Calcium oxide	CAS:1305-78-8	> 1%	Yes



WARNING: This product can expose you to chemicals including alpha quartz, which is known to the State of California to cause cancer.

Contains up to 100% components of unknown acute oral, dermal or inhalation toxicity.

Section 4: First-Aid Measures

Description of first aid measures

Inhalation • IF INHALED: Remove person to fresh air and keep comfortable for breathing. If exposed or concerned: Get emergency help immediately.

Skin

• IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get emergency medical help. Take off contaminated clothing and wash before reuse.

Eye

• IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get emergency medical help.

Ingestion • Health effects are not known or expected to occur under normal use. Low hazard for usual industrial or

commercial handling. Most important symptoms and effects, both acute and delayed

• Refer to Section 11 - Toxicological Information.

Section 5: Fire-Fighting Measures

Extinguishing media

Suitable

 Not Applicable, Green Foundry Sand is neither a fire nor an explosion hazard. Dust may be used **Extinguishing Media** to smother Class A and B fires.

Unsuitable

Not Applicable.

Extinguishing Media

Firefighting

Not Applicable.

Procedures



Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards Not Applicable (Note: Explosibility testing has indicated that Green Foundry Sand does not pose a
fire/explosion hazard when finely suspended in the air. It is still recommended that best
management practices be applied at the site of use to prevent the creation of conditions favorable
to dust explosions.)

Hazardous Combustion Products

Not applicable.

Advice for firefighters

Not Applicable.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions

• Ventilate enclosed areas. Wear appropriate personal protective equipment and protective clothing.

Emergency Procedures

• Not applicable. Green Foundry Sand is an inert material.

Environmental precautions

No known significant environmental effects.

Methods and material for containment and cleaning up

Containment/Clean-up

Prohibited Materials

Measures

• Mechanically retrieve spilled material and return it to the original container.

Not applicable. Green Foundry Sand is an inert material.

Section 7 - Handling and Storage

Precautions for safe handling

Handling • No special requirements needed. Avoid spillage and practice good housekeeping.

Conditions for safe storage, including any incompatibilities

Storage • :

Store in a controlled area.

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 8 - Exposure Controls/Personal Protection

Exposure Limits/Guidelines • No specific information is available for Green Foundry Sand. Product ingredient information provided below when available.



	Exposure Limits/Guidelines for Ingredients				
	Result	ACGIH	NIOSH	OSHA	
Cellulose (9004-34-6)	TWAs	10 mg/m³ TWA	10 mg/m ³ TWA (total dust) 5 mg/m ³ TWA (respirable)	15 mg/m³ TWA (total dust) 5 mg/m³ TWA (respirable)	
Calcium oxide (1305-78-8)	TWAs	2 mg/m³ TWA	2 mg/m³ TWA	5 mg/m³ TWA	
Iron oxide (1309-37-1)	TWAs	5 mg/m³ TWA (respirable)	5 mg/m³ TWA (dust and fume, as Fe)	10 mg/m³ TWA (fume); 15 mg/m3 TWA (total dust, listed under Rouge) 5 mg/m³ TWA (respirable, listed under Rouge)	
Aluminum oxide (non-fibrous) (1344-28-1)	TWAs	Not established	Not established	15 mg/m³ TWA (total dust) 5 mg/m³ TWA (respirable)	
Quartz (14808-60-7)	TWAs	0.025 mg/m³ TWA (respirable)	0.05 mg/m³ TWA (respirable)	0.05 mg/m³ PEL (respirable) 30 mg/m³/)%SiO2 +2) (total) 250 mppcf/(%SiO2 + 5) or 10 mg/m³/(%SiO2 +2) (respirable)	

Exposure controls

Engineering Measures/Controls

• Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.

Personal Protective Equipment

Pictograms

DO





Respiratory

• Use of a NIOSH approved dust respirator is recommended where airborne dust levels exceed appropriate PELs and TLVs.

Eye/Face

• Wear safety glasses.

Hands

• Wear standard work gloves.

Skin/Body

• No data available.

General Industrial Hygiene

• 140 data available:

Considerations

• Practice good housekeeping and avoid creating/breathing dust. Do not allow dust to collect. Maintain, clean, and fit test respirators in accordance with OSHA regulations.

Environmental Exposure Controls

• No data available



Section 9 - Physical and Chemical Properties

Information on Physical and Chemical Properties

Material Description			
Physical Form	Solid Dust	Appearance/Description	Fine granular
Color	Gray or black	Odor	Odorless
Taste	No data available	Odor Threshold	No data available
General Properties			
Boiling Point	4046 F(2230 C)	Melting Point	3000 F(1649 C)
Decomposition Temperature	No data available	рН	No data available
Specific Gravity/Relative Density	= 2.65	Bulk Density	No data available
Water Solubility	Insoluble		
Volatility		•	
Vapor Pressure	Not relevant	Vapor Density	Not relevant
Flammability		-	
Flash Point	Not relevant	UEL	Not relevant
LEL	Not relevant		

Section 10: Stability and Reactivity

Reactivity

• The product is stable.

Chemical stability

Stable

Possibility of hazardous reactions

• Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid

• Incompatible materials.

Incompatible materials

• Incompatible Materials: Oxidizers (strong), Hydrofluoric acid (7664-39-3)

Hazardous decomposition products

Not Applicable.

Section 11 - Toxicological Information

Other Material Information

• No specific toxicological information is available for Green Foundry Sand. Product ingredient information provided below.



	Components				
Quartz (> 65%)	14808-60-7	Acute Toxicity: Inhalation-Human TCLo • 16 mppcf 8 Hour(s) 17.9 Year(s)-Intermittent; Lungs, Thorax, or Respiration:Fibrosis, focal (pneumoconiosis); Lungs, Thorax, or Respiration:Cough; Lungs, Thorax, or Respiration:Dyspnea; Inhalation-Rat TCLo • 200 mg/kg; Lungs, Thorax, or Respiration:Fibrosis, focal (pneumoconiosis); Lungs, Thorax, or Respiration:Other changes; Nutritional and Gross Metabolic:Changes in Chemistry or Temperature:Fe; Multi-dose Toxicity: Inhalation-Rat TCLo • 6.2 mg/m³ 6 Hour(s) 6 Week(s)-Intermittent; Lungs, Thorax, or Respiration:Other changes; Blood:Changes in spleen; Immunological Including Allergic:Increase in cellular immune response; Inhalation-Rat TCLo • 80 mg/m³ 26 Week(s)-Intermittent; Lungs, Thorax, or Respiration:Fibrosis, focal (pneumoconiosis); Blood:Changes in spleen; Immunological Including Allergic:Decrease in cellular immune response; Tumorigen / Carcinogen: Inhalation-Rat TCLo • 50 mg/m³ 6 Hour(s) 71 Week(s)-Intermittent; Tumorigenic:Carcinogenic by RTECS criteria; Lung:Tumors			
Iron oxide (> 4%)	1309-37-1	Acute Toxicity: Inhalation-Rat TCLo • 0.8 mg/kg; Lungs, Thorax, or Respiration: Emphysema; Biochemical: Enzyme inhibition, induction, or change in blood or tissue levels: Multiple enzyme effects; Biochemical: Metabolism (intermediary): Effect on inflammation or mediation of inflammation			
Bentonite (5% TO 10%)	1302-78-9	Multi-dose Toxicity: Ingestion/Oral-Rat TDLo • 700 mg/kg 7 Day(s)-Intermittent; Endocrine:Other changes; Tumorigen / Carcinogen: Ingestion/Oral-Mouse TDLo • 12000 g/kg 28 Week(s)-Continuous; Tumorigenic:Equivocal tumorigenic agent by RTECS criteria; Liver:Tumors			
Aluminum oxide (5% TO 15%)	1344-28-1	Multi-dose Toxicity: Inhalation-Rat LC50 • 0.2 mg/L 5 Hour(s) 28 Week(s) • Comments: Rat Lung, Thorax, or Respiration: Structural or functional change in trachea or bronchi Lung, Thorax, or Respiration: Chronic pulmonary edema or congestion			

Results of health hazard classification

GHS Properties	Classification
Acute toxicity	OSHA HCS 2012 • Acute Toxicity - No Data Available; Acute Toxicity - Dermal - No Data Available; Acute Toxicity - Inhalation - No Data Available; Acute Toxicity - Oral - No Data Available
Aspiration Hazard	OSHA HCS 2012 • No Data Available
Carcinogenicity	OSHA HCS 2012 • Carcinogenicity 1A
Germ Cell Mutagenicity	OSHA HCS 2012 • No Data Available
Skin corrosion/Irritation	OSHA HCS 2012 • Skin irritation 2
Skin sensitization	OSHA HCS 2012 • No Data Available
STOT-RE	OSHA HCS 2012 • Specific Target Organ Toxicity Repeated Exposure 1
STOT-SE	OSHA HCS 2012 • Specific Target Organ Toxicity Single Exposure 1; Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation
Toxicity for Reproduction	OSHA HCS 2012 • No Data Available
GHS Properties (cont'd)	Classification
Respiratory sensitization	OSHA HCS 2012 • No Data Available
Serious eye damage/Irritation	OSHA HCS 2012 • Serious eye damage 1

Target Organs

• Lungs, Silicosis



Route(s) of entry/exposure

• Inhalation, Skin, Eye

Medical Conditions Aggravated by Exposure • Dusts may aggravate asthma or other respiratory disorders. Lungs Silicosis.

Potential Health Effects

No adverse health effects are expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects may arise if the product is mishandled and overexposure occurs.

Inhalation

Acute (Immediate)

• May cause respiratory irritation. Short periods of very heavy exposure to dusts may result in rapidly developing Silicosis.

Chronic (Delayed)

 Repeated and prolonged exposure may cause irritation. Chronic overexposure to dust containing respirable sized crystalline silica can cause delayed lung injury (Silicosis). Inhalation of dust containing crystalline silica may contribute to pre-existing pulmonary diseases such as asthma and lung disorders associated with smoking. Repeated and prolonged exposure may cause cancer.

Skin

Acute (Immediate)

May cause mild irritation.

Chronic (Delayed)

Repeated and prolonged exposure may cause irritation.

Eye

Acute (Immediate)

Causes serious eye damage.

Chronic (Delayed)

• Repeated and prolonged exposure may cause irritation.

Ingestion

Acute (Immediate)

• Under normal conditions of use, no health effects are expected.

Chronic (Delayed)

• Under normal conditions of use, no health effects are expected.

Reproductive

Effects

• No data available.

Mutagenic Effects

• No data available.

Carcinogenic

Effects

No data available on product

Carcinogenic Effects			
	CAS	IARC	NTP
Iron oxide	1309-37-1	Group 3-Not Classifiable	Not Listed
Quartz	14808-60-7	Group 1-Carcinogenic	Known Human Carcinogen



Section 12 - Ecological Information

Toxicity

• Green Foundry Sand is an inert material with minimal environmental impacts. Detailed ecological information for Green Foundry Sand is available upon request.

Persistence and degradability

• No data available. Due to material insolubility of Green Foundry Sand not expected to biodegrade.

Bioaccumulative potential

No data available.

Mobility in Soil

No data available.

Results of PBT and vPvB assessment

No data available on product.

Other adverse effects

Ecological Fate

• No data available.

Potential

• No data available.

Environmental Effects

Section 13 - Disposal Considerations

Waste treatment methods

Product waste • Reuse or recycle. Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

• Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	NDA	NDA	NDA	NDA	NDA
TDG	NDA	NDA	NDA	NDA	NDA

Special precautions for user

No special precautions.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available



Other information

Do not store and transport with oxidizers etc.

Not Listed

- DOT Not regulated as a hazardous material.
- TDG Not regulated as a dangerous good.

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture SARA Hazard Classifications (40 CFR § 370.2) • Acute, Chronic

Inventory		
Component	CAS	TSCA
Green Foundry Sand	NDA	Not listed. All components are on the TSCA inventory or are excluded from listing.

United States

Labor

U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals

•Green Foundry Sand and ingredients (unless listed below)

U.S. - OSHA - Specifically Regulated Chemicals

•Green Foundry Sand and ingredients (unless listed below)

Environment

U.S. - CERCLA/SARA - Section 302.4 Hazardous Substances and their Reportable Quantities

•Green Foundry Sand and ingredients (unless listed below)

U.S. - CERCLA/SARA - Section 304 Extremely Hazardous Substances EPCRA RQs

•Green Foundry Sand and ingredients (unless listed below)

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

•Green Foundry Sand and ingredients (unless listed below)

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

•Green Foundry Sand and ingredients (unless listed below)

U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing

•Green Foundry Sand and ingredients (unless listed below)

United States - California

Environment

U.S. - California - Proposition 65 - Carcinogens List

•Green Foundry Sand and ingredients (unless listed below)

carcinogen, initial date

•Quartz 14808-60-7 10/

10/1/88 (airborne particles of

respirable size)

Section 16 - Other Information



Classification method for mixtures

• Classification based upon cut-off values/concentration limits of ingredients.

Last Revision Date

• October 17, 2024

Liability

Disclaimer/Statement of • The information and recommendations made herein apply to our products only and are not to be combined with other product(s). The material contained herein is believed to be accurate. No guaranty of accuracy is made. It is the purchaser's responsibility before using any product to verify this data under their own conditions and to determine if the product is suitable for their purposes.